


Synthesis of Polyurea Aerogel Powders with Three Different Procedures

**Despoina Chriti¹, Grigorios Raptopoulos¹, Georgios Anyfantis²,
Patrina Paraskevopoulou¹, Nicholas Leventis²**

¹ *Laboratory of Inorganic Chemistry, Department of Chemistry, National and Kapodistrian University of Athens, Panepistimiopolis Zografou, 15771 Athens, Greece*

² *Department of Materials Science, University of Patras, 26504 Rio, Patras, Greece*
chritides@chem.uoa.gr

Polyureas (PUA) are a class of polymers that can be defined as the reaction product between multifunctional isocyanates with multifunctional amines (Scheme 1, top). In a more economical approach, the multifunctional amine is formed in situ from the reaction of the isocyanate with water (Scheme 1, middle),¹ or PUA can be obtained from a novel reaction of isocyanates with boric acid (Scheme 1, bottom).² Both procedures have been applied for the synthesis of PUA aerogels. The properties of PUA aerogels depend on a combination of factors (e.g., the choice of isocyanates and amines, the solvent), which, along with the polymerization conditions, alter the nanomorphology of the polymer.³ The synthesis of PUA aerogel powders is more challenging, because in addition to the structural morphology of the network at the nanoscopic level, the particle size and shape are also important attributes of the product. Herein, PUA powders obtained under three different synthetic approaches, (a) disruption of gelation via vigorous agitation, (b) suspension polymerization, and (c) emulsion gelation are being presented. Reaction yields, morphology of PUA aerogel powders, as well as their adsorption capability towards a number of gases and humidity are being discussed.



Scheme 1. General reaction pathways for the synthesis of polyurea (PUA).

1. Leventis, N.; Sotiriou-Leventis, C.; Chandrasekaran, N.; Mulik, S.; Larimore, Z. J.; Lu, H.; Churu, G.; Mang, J. T. *Chem. Mater.* **2010**, *22*, 6692–6710.
2. Leventis, N.; Sotiriou-Leventis, C.; Saeed, A. M.; Donthula, S.; Majedi Far, H.; Rewatkar, P. M.; Kaiser, H.; Robertson, J. D.; Lu, H.; Churu, G. *Chem. Mater.* **2016**, *28*, 67–78.
3. Leventis, N.; Chidambareswarapattar, C.; Bang, A.; Sotiriou-Leventis, C. *ACS Appl. Mater. Interfaces* **2014**, *6*, 6872–6882.

This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 685648. This publication reflects the views only of the author, and the Commission cannot be held responsible for any use, which may be made of the information contained therein. We thank Covestro and Nikko Chemicals Co., Ltd. for kindly providing free samples of Desmodur N3300 and Desmodur RE, and NIKKOL BL-9EX, respectively.